

Message

From: McDougal, Jason S [Jason.S.McDougal@wv.gov]
Sent: 3/6/2017 7:15:31 PM
To: pizarro, luis [pizarro.luis@epa.gov]
CC: Root, Charlie [Root.Charlie@epa.gov]; Wentworth, William [Wentworth.William@epa.gov]; sorto, evelyn [sorto.evelyn@epa.gov]; Garner, John [john.garner1@momentive.com]
Subject: RE: PCB Notification Question
Attachments: WWTU_Soil_Management_Plan_Momentive_2-03-17.pdf

Luis,
I believe this Momentive site is different than the one in Friendly WV. The Momentive site is in Sistersville, north of the RCRA CA site in Friendly. I do not believe it was ever under an order or CA permit. I will send you the Soil Management Plan and you can forward it to your new PM for comment. They are not remediating anything, just constructing in a known PCB contaminated area.
Jake

From: pizarro, luis [mailto:pizarro.luis@epa.gov]
Sent: Monday, March 6, 2017 12:30 PM
To: McDougal, Jason S <Jason.S.McDougal@wv.gov>
Cc: Root, Charlie <Root.Charlie@epa.gov>; Wentworth, William <Wentworth.William@epa.gov>; sorto, evelyn <sorto.evelyn@epa.gov>
Subject: RE: PCB Notification Question

Charlie – You are off the hook

Jake:

PCB Remediation Waste is subject to EPA's TSCA regulations and oversight and is not a program that is delegated to the States. However TSCA does provide integration/coordination with RCRA and Superfund.

As a matter of practice here in the Region, TSCA matters at RCRA CA sites are managed by the RCRA CA program.

Therefore, this is just a matter of us to coordinate with you to ensure Momentive submittals conform with the TSCA or RCRA, whichever is more strict, thru the implementation of the Remedy under the WV permit.

With Bill retirement I will need to assign a new PM to assist you with this. I anticipate, as with other projects, a smooth coordinated effort to keep the project moving forward.

With respect to the PCB Notification, to the extent we have received a copy of the Workplan, we can consider that the notification.

Bill – Did we get a copy?

Luis A. Pizarro
Associate Director
Office of Remediation, LCD
US EPA Region 3
215 814 3444

From: McDougal, Jason S [<mailto:Jason.S.McDougal@wv.gov>]
Sent: Monday, March 06, 2017 9:56 AM
To: pizarro, luis <pizarro.luis@epa.gov>; Root, Charlie <Root.Charlie@epa.gov>
Subject: FW: PCB Notification Question

All,
Momentive is planning a major update to their wastewater treatment system. They will be working in an area that has been identified as having PCB contamination. There are no LUC or Deed Restrictions. They have submitted a Soil Management Work Plan, which I approved. John heard from his contractor that they had to contact EPA if working in PCB contaminated soils. Is this true, or is the approved workplan enough? Or is this a TSCA issue?
Thanks
Jake

From: Garner, John [<mailto:john.garner1@momentive.com>]
Sent: Friday, March 3, 2017 3:28 PM
To: McDougal, Jason S <Jason.S.McDougal@wv.gov>
Subject: PCB Notification Question

Hello Jake,

Per our phone conversation today, I wanted to verify whether we (Momentive) need to notify the US EPA concerning our potential wastewater upgrade project that will require management of PCB impacted soils? As we discussed previously, our understanding was that the WVDEP had the lead on this process and that the approved soil management plan was the only thing needed to proceed. If possible, we would prefer to work through one agency but wanted to verify the proper path to proceed either way. Thanks for your help on this!!

John Garner
EHS Manager - Sistersville

Office: (304) 652-8120
Cell: (740) 628-5223
www.momentive.com
www.linkedin.com/company/momentive

MOMENTIVE™
inventing possibilities

This message, including attached files, is confidential and intended for the addressees. It may contain information that is proprietary, privileged or exempt for disclosure under applicable law. Any unauthorized use and dissemination of the information or copying of this message is strictly prohibited. Any views, opinions or conclusions expressed in this message are those of the individual sender and do not necessarily reflect the views of Momentive or its affiliates. If you received this message in error, please immediately advise the sender by reply email, delete all copies of this message and refrain from printing, copying, or disseminating this message or otherwise using the information in it. Thank you.

Although Momentive routinely screens incoming and outgoing mail messages for viruses, addressees should scan this e-mail and any attachments for viruses themselves. Momentive does not guarantee in any way the absence of viruses in this e-mail or any attachments and disclaims any liability in case of security problem that this message may cause to any system.